



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/821,782

04/09/2004

Bernhard Forstl

078857.0158

1453

31625

7590

12/19/2008

BAKER BOTTS L.L.P.

PATENT DEPARTMENT

98 SAN JACINTO BLVD., SUITE 1500

AUSTIN, TX 78701-4039

EXAMINER

KISWANTO, NICHOLAS

ART UNIT

PAPER NUMBER

3664

MAIL DATE

DELIVERY MODE

12/19/2008

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/821,782	Applicant(s) FORSTL, BERNHARD	
	Examiner NICHOLAS KISWANTO	Art Unit 3664	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 22 October 2008.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1,3-6,9,11 and 13-17 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1,3-6,9,11 and 13-17 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 09 April 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 1, 5, 6, 9, 11, and 15-17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Arnold (6,545,852).

As to claim 1, Arnold/852 shows a method for increasing the safety of operation of an electrical component, comprising the steps of: generating a control signal by a microcontroller (col 11, line 16) to actuate a load (col 18, line 1 - 2), amplifying the control signal (col 7, line 41), detecting actively a change in the switching state of a relevant load (col 7, line 40), and while the microcontroller is in a sleep mode (col 20, line 26) detecting a disturbance of said control signal by detecting a change in the amplified control signal through a wake- up interrupt input of said microcontroller (col 17, line 66).

However, Arnold/852 is silent as to the specifics of disturbance of the control signal is amplified such that an unwanted activation of said load is caused.

Nevertheless, it would have been obvious to one of ordinary skill in the art that amplification of signals is uniform across the system in order to provide

Art Unit: 3664

correct logic levels in the next stage. Therefore a disturbance would get amplified normally like a controlled signal.

As to claim 5, Arnold/852 further shows the method according to Claim 1, wherein diagnostic means are used to determine whether a fault state can be eliminated by the microcontroller, wherein remedial action being initiated by a system control unit if the microcontroller fails (col 15, line 7 - 11).

As to claim 6, Arnold/852 shows a device for increasing the safety of operation of an electrical component in a circuit, comprising a microcontroller (col 11, line 16); an amplifier (col 7, line 41) having an input coupled to an output port of said microcontroller (Fig. 2); a load coupled to an output of said amplifier (col 18, line 1 - 2) and means for actively detecting a change of an output signal generated by said amplifier (col 7, line 40), wherein said means for actively detecting a change are coupled with an interrupt input of said microcontroller (col 17, line 66).

However, Arnold/852 is silent as to the specifics of disturbance of the control signal is amplified such that an unwanted activation of said load is caused.

Nevertheless, it would have been obvious to one of ordinary skill in the art that amplification of signals is uniform across the system in order to provide correct logic levels in the next stage. Therefore a disturbance would get

Art Unit: 3664

amplified normally like a controlled signal.

As to claim 9, Arnold/852 further shows the device according to Claim 6, wherein the means for actively detecting a change comprise a resistor network coupled between the output of the amplifier and a ground potential (col 14, line 23).

As to claim 11, Arnold/852 shows a device for increasing the safety of operation of an electrical component, in particular of electrical components in a vehicle, comprising: a microcontroller (col 11, line 16) for actuating a load (col 18, line 1 - 2) via an amplifier (col 7, line 41), means for detecting actively a change in the switching state of a relevant load (col 7, line 40), and wherein the microcontroller is operable to be put in a sleep mode (col 20, line 26) and while in sleep mode detects a disturbance of said control signal which causes a change in the amplified control signal through a wake-up interrupt input of said microcontroller (col 17, line 66).

However, Arnold/852 is silent as to the specifics of disturbance of the control signal is amplified such that an unwanted activation of said load is caused.

Nevertheless, it would have been obvious to one of ordinary skill in the art that amplification of signals is uniform across the system in order to provide correct logic levels in the next stage. Therefore a disturbance would get

Art Unit: 3664

amplified normally like a controlled signal.

As to claim 15, Arnold/852 further shows the device according to Claim 11, comprising a system control unit coupled with said means for performing • diagnostic to determine whether a fault state can be eliminated by the microcontroller, wherein the system control unit is operable to initiate remedial action if the microcontroller fails (col 15, line 7 - 11).

As to claim 16, Arnold/852 further shows the method according to Claim 1, wherein to eliminate a fault state upon detection of a disturbance, the microcontroller de-activates the load (col 22, line 32).

As to claim 17, Arnold/852 further shows the method according to Claim 16, wherein upon detection of a disturbance, the microcontroller is switched from a sleep mode into an active mode and resets said control signal (col 13, line 12).

3. Claims 3 and 13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Arnold, in view of Ober (6,665,802).

As to claims 3 and 13, Arnold/852 discloses the claimed invention as shown above. However, it is silent as to the specifics of a non-maskable interrupt readback input.

Art Unit: 3664

Ober/802 shows the commonly well-known technique of using a non-maskable interrupt port (col 6, line 11).

It would have been obvious to one of ordinary skill in the art to provide Arnold/852's invention with Ober/802's teaching since the use of a non-maskable interrupt is commonly well-known in the art.

4. Claims 4 and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Arnold, in view of Larsson et al. (2001/0052728).

As to claims 4 and 14, Arnold/852 discloses the claimed invention as shown above, including a vehicle electrical system control unit driving an on/off load (col 5, line 35). However, it is silent as to the specifics of said load being a central locking motor.

Larsson/728 shows the commonly well-known method of a central locking motor being driven as an on/off load [0015].

It would have been obvious to one of ordinary skill in the art to provide the invention of Arnold/852 with the teaching of Larsson/728 since driving a central locking motor is commonly well-known in the art.

Response to Arguments

5. Applicant's arguments filed 10/22/2008 have been fully considered but they are not persuasive. Applicant argues that Arnold does not disclose amplifying of the control

Art Unit: 3664

signal, due to Arnold not explaining the function of the latch-up detector. Without conceding that Arnold does not explain the function of the latch-up detector, Office concludes that Applicant's arguments are not persuasive since an explanation of the function of the latch-up detector is not necessary due to the presence of gated differential amplifiers as cited above. Such presence of gated differential amplifiers indicates amplification of control signals, which in this case is interpreted as the increasing of a signal's strength to meet system voltage requirements.

6. Applicant argues that Arnold does not show operation of controller while in sleep mode. Applicant's argument is not persuasive because Arnold's disclosure of sleep mode indicated in rejection (col 20, line 26) pertains to the controller entering sleep mode after ignition (col 20, line 15-38). As such, all of Arnold's functions occur while the controller is in sleep mode since operation occurs after ignition.

Conclusion

7. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any

Art Unit: 3664

extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to NICHOLAS KISWANTO whose telephone number is (571)270-3269. The examiner can normally be reached on Monday - Friday, 9AM - 6PM, EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Khoi Tran can be reached on (571) 272-6919. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Nicholas Kiswanto
December 16, 2008
/KHOI TRAN/
Supervisory Patent Examiner, Art Unit 3664